

Advanced Theoretical Physics
A Historical Perspective

Nick Lucid

June 2015

Contents

Preface	ix
1 Coordinate Systems	1
1.1 Cartesian	2
1.2 Polar and Cylindrical	4
1.3 Spherical	5
1.4 Bipolar and Elliptic	8
2 Vector Algebra	11
2.1 Operators	11
2.2 Vector Operators	12
3 Vector Calculus	19
3.1 Calculus	19
3.2 Del Operator	20
3.3 Non-Cartesian Del Operators	24
3.4 Arbitrary Del Operator	33
3.5 Vector Calculus Theorems	36
The Divergence Theorem	37
The Curl Theorem	39
4 Lagrangian Mechanics	45
4.1 A Little History...	45
4.2 Derivation of Lagrange's Equation	46
4.3 Generalizing for Multiple Bodies	51
4.4 Applications of Lagrange's Equation	52
4.5 Lagrange Multipliers	66
4.6 Applications of Lagrange Multipliers	68

4.7	Non-Conservative Forces	75
5	Electrodynamics	77
5.1	Introduction	77
5.2	Experimental Laws	77
	Coulomb's Law	78
	Biot-Savart Law.	87
5.3	Theoretical Laws	97
	Ampère's Law	97
	Faraday's Law.	105
	Gauss's Law(s)	108
	Ampère's Law Revisited	111
5.4	Unification of Electricity and Magnetism	114
5.5	Electromagnetic Waves	118
5.6	Potential Functions	123
	Maxwell's Equations with Potentials.	127
5.7	Blurring Lines	129
6	Tensor Analysis	131
6.1	What is a Tensor?	131
6.2	Index Notation	131
6.3	Matrix Notation	136
6.4	Describing a Space	141
	Line Element	141
	Metric Tensor	141
	Raising and Lowering Indices	142
	Coordinate Basis vs. Orthonormal Basis.	143
6.5	Really... What's a Tensor?!	144
6.6	Coordinate Transformations	149
6.7	Tensor Calculus	154
7	Special Relativity	167
7.1	Origins	167
7.2	Spacetime	170
	Line Element	170
	Metric Tensor	172
	Coordinate Rotations.	173

	Taking Measurements	178
7.3	Lorentz Transformations	184
7.4	Relativistic Dynamics	194
	Four-Velocity	196
	Four-Acceleration	199
	Four-Momentum	203
	Four-Force	205
7.5	Relativistic Electrodynamics	211
	Maxwell's Equations with Potentials.	213
	Electromagnetic Field Tensor	214
	Maxwell's Equations with Fields	229
	Lorentz Four-Force	233
7.6	Worldlines	238
	Null World Lines	239
	Space-Like World Lines.	243
7.7	Weirder Stuff: Paradoxes	248
8	General Relativity	265
8.1	Origins	265
8.2	Einstein's Equation	269
8.3	Hilbert's Approach	272
8.4	Sweating the Details	280
	Stress-Energy Tensor	280
	Weird Units	282
8.5	Special Cases	284
	Spherical Symmetry	285
	Perfect Fluids	291
	The Vacuum.	295
8.6	Geodesics	302
	Time-Like Geodesics	303
	Null Geodesics	312
	Non Geodesics.	313
8.7	Limits and Limitations	314
	Black Holes	314
	Cosmology and Beyond.	327

9	Basic Quantum Mechanics	329
9.1	Descent into Madness	329
9.2	Waves of Probability	339
	Schrödinger's Equation	339
9.3	Quantum Measurements	346
	Observables vs. States	346
	Bra-Ket Notation	348
	Time-Independent Schrödinger's Equation	350
	Heisenberg Uncertainty Principle	353
9.4	Simple Models	359
	Infinite Square Well.	360
	Finite Square Well	370
	Harmonic Oscillator.	394
10	Modern Quantum Mechanics	411
10.1	Finding Wave Functions	411
10.2	Single-Electron Atoms	412
	Shells and Orbitals	423
	Spin Angular Momentum.	432
	Full Angular Momentum	433
	Fine Structure.	439
10.3	Multiple-Electron Atoms	447
	Periodic Table.	451
10.4	Art of Interpretation	457
	Ensemble of Particles	458
	Bell's Inequality.	460
	Copenhagen Interpretation	461
	Particles vs. Waves	463
	Macroscopic vs. Microscopic	469
	Bridging the Gap	472
A	Numerical Methods	475
A.1	Runge-Kutta Method	475
A.2	Newton's Method	477
A.3	Orders of Magnitude	480

B Useful Formulas	481
B.1 Single-Variable Calculus	481
B.2 Multi-Variable Calculus	482
B.3 List of Constants	485
C Useful Spacetime Geometries	487
C.1 Minkowski Geometry (Cartesian)	487
C.2 Minkowski Geometry (Spherical)	487
C.3 Schwarzschild Geometry	488
C.4 Eddington-Finkelstein Geometry	489
C.5 Spherically Symmetric Geometry	491
C.6 Cosmological Geometry	492
D Particle Physics	495
D.1 Categorizing by Spin	495
D.2 Fundamental Particles	496
D.3 Building Larger Particles	497
D.4 Feynman Diagrams	500

7.2 Spacetime

When a physics student first learns about special relativity, abstract equations are often thrown at them with little and/or poor explanation. This is a cause for much of the confusion regarding the ideas in this theory. I find it best to build an idea from other ideas a student (or reader) already knows, which is a philosophy I've used in writing this book. We've spent a lot of time focused on coordinate systems and diagrams. This also seems like a good place to start with this.

A major implication of special relativity is that *time* deserves as much attention as *space*. Diagrammatically, that means we'll need to include it in the coordinate system resulting in a four-dimensional **spacetime**. With the new idea of a spacetime comes some new terminology:

- **Spacetime diagram** - A diagram which includes both space and time.
- **Event** - A point in spacetime designated by four coordinates, (ct, x, y, z) . Essentially, it's a place and time for some phenomenon.
- **Separation** - The straight line connecting two events in spacetime. The word "distance" is improper with a time component involved.
- **World line** - The path taken by a particle/object in spacetime. The word "trajectory" is improper with a time component involved.

In Figure 7.2, we see two objects initially located at events 1 and 3. At some time Δt later, they are at events 2 and 4, respectively, where they are now closer in space. The line between events 1 and 2 is labeled Δs , which represents the world line of that object. The length of this world line is **spacetime invariant** (i.e. it doesn't change under coordinate transformations).

Line Element

The best tools we have to describe a space are given in Section 6.4. However, we have to be very careful when we incorporate time. First, time is not measured in the same units as space, so a conversion factor of c (the speed of light) appears. Secondly, by observation, we see that time behaves a little




Figure 7.2: This is a spacetime diagram where the horizontal axis, x , represents space (y and z are suppressed for simplicity) and the vertical axis, ct represents time measured in spatial units ($c = 299,792,458$ m/s is like a unit conversion between meters and seconds).

differently than space. It behaves *oppositely* to space, so a negative sign also appears. Keeping all this in mind, the Cartesian line element is now

$$ds^2 = -c^2 dt^2 + dx^2 + dy^2 + dz^2, \quad (7.2.1)$$

which is similar to Eq. 6.4.1. Similar to Eq. 6.4.2, we can write

$$ds^2 = -c^2 dt^2 + dr^2 + r^2 d\theta^2 + r^2 \sin^2 \theta d\phi^2, \quad (7.2.2)$$

which is the line element in spherical coordinates. We have simply replaced the spatial terms, with the appropriate dimension-3 line element.

Formulating the mathematics of special relativity in this way was not initially done by Einstein. Einstein’s methods involved simple algebra and thought experiments (“Gedankenexperimente” as he called them). He was self-admittedly poor with advanced math. In 1908, Hermann Minkowski generalized Einstein’s work with tensor analysis (described in Chapter 6). This is why the space described in this chapter is sometimes called the **Minkowski space**.

Since the labeled world line in Figure 7.2 is straight (true of all world lines in IRFs), we can write it as $(\Delta s)^2 = -c^2 (\Delta t)^2 + (\Delta x)^2$, which looks a lot like

the Pythagorean theorem by no coincidence. The negative sign on the time component provides some interesting consequences. One consequence is the square of the separation, $(\Delta s)^2$, is not restricted to positive values. We can use this fact to categorize separations in spacetime.

- If $(\Delta s)^2 < 0$, then the two events have a **time-like** separation meaning the time component dominates. All events on world lines showing the motion of massive objects have this kind of separation (considering the large value of c). These world lines are often referred to as time-like world lines.
- If $(\Delta s)^2 = 0$, then the two events have a **light-like** separation because these world lines show the motion of light (and any other massless particle). It is sometimes called a **null** separation because the separation is zero.
- If $(\Delta s)^2 > 0$, then the two events have a **space-like** separation meaning the space component dominates. These two events are considered non-interactive. For an object to travel on a space-like world line, it would require speeds faster than c . For this reason, it is unlikely the motion of anything could be represented by a space-like world line.

From a mathematical standpoint, you could write the time component as an imaginary number since

$$\sqrt{-c^2 (\Delta t)^2} = \sqrt{-1} c\Delta t = ic\Delta t.$$

This isn't traditionally done. However, it's mathematically consistent and may be useful under circumstances when you're dealing with the components by themselves rather than in a line element.

Metric Tensor

We can also write something like Eq. 6.4.3 to generalize the line element. The result is

$$ds^2 = g_{\alpha\delta} dx^\alpha dx^\delta, \quad (7.2.3)$$

where the use of greek indices indicates four dimensions and repeated indices indicates a summation. Remember to distinguish between exponents of 2

Index

- 21 cm line, 444
- Action, 273
 - generalized, 273
- Ampère's law, 98, 229, 231
 - expanded by Maxwell, 114
 - expanded by Maxwell (in del form), 112
 - in del form, 99
- Ampérian loop, 98
- Angular momentum, 56, 133, 145, 151, 311, 326, 332, 347, 357, 358, 424, 435, 456
 - Bohr, 333
 - Conservation of, 57, 311
 - in a coordinate basis, 151, 153
 - in an orthonormal basis, 151, 152
 - in index notation, 154
- Anti-matter, 460, 500
- Atomic mass, 451
- Atomic number, 332, 413, 425, 451
- Baryons, 499, 501
- Basis vectors, 8, 349
 - Cylindrical, 5
 - Spherical, 7
- Bell's inequality, 460
 - Consequences of, 461
- Bianchi identity, 269, 271
- Biot-Savart law, 87
 - Solving the, 88
- Bipolar coordinates, 8, 485
- Black holes, 281, 314, 318, 325
 - Radius of, *see* Schwarzschild radius
 - static, 314
- Bohr radius, 419
- Bosons, 495, 496, 498
- Calculus, 19, 481
 - Fundamental theorem of calculus, 481
 - with vectors, *see* Vector calculus
- Cartesian coordinates, 2, 20, 484
 - Curl, 21
 - Del operator, 20
 - Divergence, 21
 - Gradient, 21
 - Laplacian, 22, 23
 - Line element (3D), 141
 - Line element (4D), 171, 191
 - Metric tensor (3D), 142, 143
 - Metric tensor (4D), 173, 191
 - Moment of inertia, 139
 - Rotation matrix, 146
 - Tensor calculus with, 154
 - Volume element, 35
- Center of mass, *see* Mass
- Chain rule, 19
- Charge, 22, 77–79, 98, 102, 109, 110, 117, 130, 204, 211, 233, 303,

- 313, 332, 343, 412, 432, 441, 473, 495
- Conservation of, 112, 116, 211, 343
- density, 107, 109, 110, 112, 116, 125, 212, 343
- density (proper), 212
- element, 79, 80
- of particles, 498, 501
- Charged rod, 81
 - Electric field around a, 86
- Christoffel symbols, 156, 157, 269, 278, 306
 - for orthogonal coordinates, 157
 - for spherical symmetry, 287
- ClebschGordan coefficients, 436
- Commutators, 354, 357, 358, 432, 434
 - Canonical, 355
 - Generalized, 356
- Conducting loop, 89
 - Magnetic field around a, 93
- Conservation, 204, 308
 - of angular momentum, 57, 311
 - of charge, 112, 116, 211, 343
 - of energy, 45, 123, 204, 211, 270, 310
 - of four-current, 212
 - of four-momentum, 204, 207, 281
 - of momentum, 45, 204, 254, 342
 - of probability, 346
- Constraint force, 66–68, 70, 75
- Contravariant derivative, 162, 216
- Coordinate basis, 142, 143
 - Angular momentum in a, 151, 153
- Copenhagen interpretation, 462
 - Strong, 462
- Cosmological solution, 328, 492
- Coulomb's law, 78, 412
 - for electric fields, 79, 80
 - Solving, 80
- Covariant derivative, 156, 161, 162, 211–213, 230, 232, 272, 279, 305
- Covariant derivatives, 269, 278
- Cross product, 14
- Cubic harmonics, 426, 431, 448
- Curl, 21
 - Cartesian, 21
 - Cylindrical, 32
 - Generalized, 36, 483
 - Generalized (index notation), 165
 - Spherical, 33
 - theorem, 42, 483
- Current, 77, 87, 88, 97–99, 102, 105, 111, 148, 149, 255
 - density, 89, 99, 112, 114, 125, 212, 343, 345
 - Displacement, 112–114
 - Four-, *see* Four-current
- Curvilinear coordinates, 4, 5, 8
- Cylindrical coordinates, 4, 484
 - Curl, 32
 - Derivation of del in, 24
 - Divergence, 32
 - Gradient, 32
 - Jacobian for, 150
 - Laplacian, 32
 - Volume element, 35
- d Alembertian, 213
- de Broglie frequency, 335
- de Broglie wavelength, 336, 337
 - as an orbit, 338
- Degeneracy, 370, 409, 439, 444, 449
- Del operator, 20, 24, 33
 - Cartesian, 20

- Product rules for, 484
- Second derivative rules for, 484
- Dirac delta function, 104, 105, 111, 442
- Dirac delta tensor, 135, 137, 138, 296, 313, 353
- Displacement current, *see* Current
- Divergence, 21
 - Cartesian, 21
 - Cylindrical, 32
 - Generalized, 36, 482
 - Generalized (index notation), 162
 - Spherical, 33
 - theorem, 39, 483
- Dot product, 13
- Double pendulum, 60
- Eddington-Finkelstein solution, 315, 319, 321, 322, 489
- Eigenstates, 352, 353, 359, 362, 374, 400, 411
- Eigenvalues, 353
- Einstein's equation, 272, 277, 281, 295, 296
 - in geometrized units, 284
- Electric current, *see* Current
- Electric fields, *see* Fields
- Electric flux, 114
- Electric Force, *see* Force
- Electric Potential, *see* Potentials
- Electromagnetic field tensor, 215–217, 229, 231, 233, 274, 313
- Electromagnetic waves, 119, 121, 122
- Electrons, 77, 111, 243, 330, 332–334, 337, 338, 345, 412, 432, 441, 449, 451, 452, 460, 461, 464, 466, 467, 470, 471, 473, 496, 498, 503
- Configuration of, 451, 455, 456
- Discovery of, 329
- Full angular momentum of, 435
- Repulsion in atoms, 448, 449
- Spin of, 433, 441, 442, 449, 456
- Elliptic coordinates, 485
- Elliptical coordinates, 8
- Energy, 45, 123, 235, 245, 295, 326, 332, 340, 351, 352
 - Bohr, 333
 - Conservation of, 45, 123, 204, 211, 270, 310
 - density, 137, 280, 282
 - flux, 122, 137, 280–282
 - Hamiltonian, *see* Hamiltonian
 - Kinetic, 45, 49, 52, 240, 281, 342, 440
 - of a photon, 243, 330, 333
 - of spacetime, 267, 269, 274
 - operator, *see* Hamiltonian
 - Potential, 47, 50, 66, 75, 281, 342, 411
 - Relativistic, 204, 211, 245, 310, 312, 336
 - Rest, 180, 204, 210, 280
- Equivalence principle, 202, 266
- Event horizon, 315
- Expectation value, 347–349, 355, 356, 359, 386, 388, 392
- Faraday's law, 106, 231, 441
 - in del form, 107
- Fermions, 495
- Feynman diagrams, 500
 - Examples of, 503
 - Rules for, 500
- Fields, 22, 79, 117, 130, 272, 302
 - Conservative, 124

- Displacement, 114–116
- Electric, 22, 79, 97, 107, 109, 110, 113–118, 123, 124, 126, 129, 214, 255, 441
- Electric (index notation), 215
- Electromagnetic, 130
- Gravitational, 60, 266, 270
- Hysteresis, 115
- Magnetic, 22, 87, 97, 99, 105, 107, 109, 110, 115, 117, 118, 123, 124, 126, 129, 148, 149, 214, 342, 441, 444
- Magnetic (index notation), 216
- Mathematical, 11
- Fine structure, 439
 - adjustment, 442, 444
 - constant, 439
- Finite square well, 370
 - Finding expectation values for, 385
 - Finding probabilities for, 384
 - Finding specific solutions for, 378–384
 - General coefficients for, 376, 378
 - General eigenstates for, 375
 - Potential energy for, 371
 - Schrödinger’s equation for, 373
- Fluid continuity, 112
- Fluid flux, 106
- Force, 15, 16, 46, 50, 51, 66, 70, 75, 77, 148, 206
 - carrier particles, 496, 498
 - Central, 57, 148
 - Conservative, 47
 - Constraint, 66–68, 70, 75
 - Electric, 78, 412
 - Fictitious, 265
 - Four-, *see* Four-force
 - Gravitational, 78, 202, 266, 303, 307, 312, 313
 - Lorentz, 117, 130, 224, 228, 233
 - Magnetic, 87
 - Non-conservative, 47, 75
 - Proper, 228
 - Relativistic, 206
- Four-acceleration, 197, 199, 201, 202, 205, 243, 303, 305, 312
- Four-current, 212, 214, 215, 229
 - Conservation of, 212
- Four-force, 205, 243, 303, 312, 313
 - Lorentz, 233, 235, 238, 313
- Four-momentum, 203, 204, 207, 241, 243, 312, 336
 - Conservation of, 204, 207, 281
 - of a photon, 241
 - with magnetic potential, 342
- Four-potential, 213, 214
- Four-velocity, 196–198, 201, 203, 212, 233, 292, 303, 305, 312, 313
 - for a static fluid, 292
- Full angular momentum, 434, 435, 442
 - in terms of angular momentum and spin, 435
- Fundamental particles, 498
- Fundamental theorem of calculus, 19, 481
- Fundamental theorem of vector calculus, 35, 482
- Gauge invariance, 126
- Gauss’s law, 108, 229
 - for magnetism, 108, 231
 - for magnetism in del form, 110
 - in del form, 110
- Geodesics, 302, 304
 - for photons, 312

- in curved spacetime, 305
 - in flat spacetime, 303
- Geometrized Units, 283, 284
- Gluons, 496, 498
- Gradient, 21
 - Cartesian, 21
 - Cylindrical, 32
 - Generalized, 35, 482
 - Spherical, 33
- Gravitational Force, *see* Force
- Group velocity, 338
- Hadrons, 497, 501
- Halley's comet, 57, 58
- Hamiltonian, 340, 341, 347, 351, 352, 354, 357, 358, 424, 435
 - Definition of, 340
 - for helium, 447
 - generalized for all atoms, 448
 - in 1D, 392
 - Relativistic, 441
 - Spin-orbit coupling, 441
 - Spin-spin coupling, 442
- Harmonic oscillator, 394
 - 3D, 394, 409
 - Eigenstates for, 408
 - Energy for, 401
 - Potential energy for, 394
 - Schrödinger's equation for, 396
 - Stationary states for, 409
- Heisenberg uncertainty principle, *see* Uncertainty principle
- Helium, 447
- Helmholtz coil, 93, 95
- Hermite polynomials, 403, 406, 409
 - Equation for even, 403
 - Equation for odd, 403
 - List of, 404
- Orthogonality, 406
 - Recursion formula for, 404
- Hilbert space, 348, 353
- Hund's rules, 449
- Hydrogen, *see* Single-electron atoms
- Hyperfine adjustment, 443, 444
- Index notation, 131
 - Angular momentum in, 154
- Infinite square well, 360, 470, 471
 - 3D, 367
 - Eigenstates for, 364
 - Energy for, 363
 - Potential energy for, 360
 - Schrödinger's equation for, 361
 - Stationary states for, 365, 470, 471
- Intensity, *see* Energy flux
- Ionization energy, 450
- Jacobian, 149, 150
 - Cylindrical, 150
- Kepler's first law, 60
- Kepler's second law, 57
- Kinetic energy, *see* Energy
- Kretschmann invariant, 315
 - for the Schwarzschild solution, 317
- Lagrange multipliers, 66–68
- Lagrange's equation, 50, 273, 303
 - for constraint forces, 68
 - for non-conservative forces, 75
 - Solving, 52
 - Solving with constraints, 68
- Lagrangian, 50, 52, 68, 75, 273, 276
 - Electromagnetic, 273
 - for spacetime, 274
- Laguerre polynomials, 420
 - List of, 421

- Lamb shift, 443, 444
- Laplace's equation, 125
- Laplacian, 22
 - Cartesian, 22, 23
 - Cylindrical, 32
 - Generalized, 36, 483
 - Spherical, 33
- Legendre functions, 417
 - List of, 418
- Length contraction, 182–184, 212, 218, 220, 224, 249, 251–253, 256
- Leptons, 496–498
- Line element, 141
 - Cartesian (3D), 141
 - Cartesian (4D), 171, 191
 - Generalized, 141
 - Spherical (3D), 141
 - Spherical (4D), 171
- Lorentz transformations, 185, 198, 215, 219, 246
 - for acceleration, 190
 - for velocity, 187
 - in index notation, 190
 - matrix, 190, 217
 - matrix (generalized), 193
- Magnetic fields, *see* Fields
- Magnetic flux, 106
- Magnetic Force, *see* Force
- Magnetic potential, *see* Potentials
- Magnetostatics, 124
- Mass, 46, 172, 299, 303, 306, 336, 474
 - Atomic, 451
 - Center of, 133, 134, 211
 - density, 106, 270
 - element, 134
 - inside a star, 294, 318
 - of a black hole, 314, 318
 - of particles, 498, 501
 - Reduced, 440
 - Rest, 179, 203, 205, 280, 303, 310, 311, 335, 336, 495
- Massless particles, *see* Photons
- Maxwell-Heaviside equations, 117
 - in a vacuum, 118
 - with EM tensor, 231, 233
 - with four-potential, 214
 - with potentials, 127–129
- Mesons, 499, 501
- Metric tensor, 141
 - Cartesian (3D), 142, 143
 - Cartesian (4D), 173, 191
 - Generalized orthogonal, 157
 - Spherical (3D), 142, 143
 - Spherical (4D), 173
- Momentum, 45, 56, 151, 204, 239, 244, 340, 347, 349, 353, 358, 359
 - Conservation of, 45, 204, 254, 342
 - density, 137, 280–282
 - Four-, *see* Four-momentum
 - in a coordinate basis, 153
 - of a photon, 241
 - Relativistic, 204, 239, 244, 336, 441
 - with magnetic potential, 342
- Muons, 207, 496, 498
- Neutrinos, 207, 496–498
- Neutron stars, 360
- Neutrons, 451, 501, 503
- Newton's first law, 169
 - for a photon, 243
 - Relativistic, 206
- Newton's law of gravity, 78
- Newton's method, 477

- Newton's second law, 48, 51, 130, 303, 308, 338, 440
 Relativistic, 205, 206, 303
- Newton's third law, 206
- Normalization, 33
 Quantum, 346, 349, 353, 363, 372, 376, 406, 411, 414, 467
- Ohm's law, 115
- Operators, 11
 Calculus, 19
 Chain rule, 19
 Cross product, 14
 Del, *see* Del operator
 Dot Product, 13
 Fundamental theorem of calculus, 19
 Product rule, 20
 Quantum, *see* Quantum operators
 Quotient rule, 20
 Scalar, 12
 Variation, 275
 Vector, 12
- Orbital diagrams, 449, 452–454
- Orbital Plots, 459
- Orbitals, 423, 425–427, 430–433, 448, 449, 451, 455, 456
- Order of operations, 11
- Orders of magnitude, 480
- Orthonormal basis, 8, 143, 290, 349
 Angular momentum in an, 151, 152
- Parallel transport, 155, 269
- Particle decay, 206, 460
- Path element, 34, 141
 Generalized, 34, 482
- Perfect fluids, 291
- Periodic table, 451, 455
 Rules for the, 456
- Phase velocity, 336
- Photon sphere, 324
- Photons, 172, 239, 241–243, 246, 255, 312, 318–323, 327, 336, 460, 469, 470, 473, 496, 498, 500, 503
 around a black hole, 325, 326
 Emission, 333
 Emission of, 330, 338, 395, 409, 447
 orbiting a black hole, 324
 Spin of, 433
- Pions, 206, 460, 500, 501
- Poisson's equation, 125, 128
 for gravity, 270, 272, 281
- Polar coordinates, 4
- Pole-in-barn problem, 252
- Positrons, 460, 461, 503
- Potential energy, *see* Energy
- Potentials, 123, 127
 Electric, 115, 116, 123, 124, 126, 128, 129, 212, 342
 Four-, *see* Four-potential
 Magnetic, 101, 115, 116, 123, 126, 128, 129, 212, 342
- Power, 235
 Relativistic, 206
- Power series solutions, 396
 for the harmonic oscillator, 398, 400
- Poynting vector, 122
- Principle of stationary action, *see* Stationary action
- Probability, 345–347, 350, 372, 376, 437, 457, 460, 467, 472, 473

- amplitude, *see* Wave functions
- Conservation of, 346
- current, 345, 346
- density, 345, 346, 348, 350, 425, 429
- inside a finite square well, 385
- of quark states, 500
- outside a finite square well, 385
- plots, 459
- Product rule, 20
- Proper acceleration, 202, 203
- Proper length, 179, 183, 249, 252
 - for a photon, 242
- Proper mass, *see* Mass
- Proper time, 179, 180, 182, 196, 197, 200, 201, 302–306
 - for a photon, 242, 312
- Protons, 228, 237, 332, 425, 441, 451, 500, 501, 503
 - Spin of, 433, 442
- Quantum decoherence, 473
- Quantum observables, *see* Quantum operators
- Quantum operators, 340, 347–349, 353–357, 359, 386, 462, 471
 - Angular momentum, 424, 435
 - Angular momentum squared, 424, 435
 - Commutators, 354, 432, 434
 - Compatible, 357
 - Full angular momentum, 434, 435, 442
 - Full angular momentum squared, 434
 - Hamiltonian, *see* Hamiltonian
 - Hermitian, 348, 349
 - Incompatible, 358
 - Momentum, 340
 - Momentum squared, 340
 - Spin, 432, 433
 - Spin squared, 432
- Quarks, 496–498
- Quotient rule, 20
- Rectilinear coordinates, 2
- Reduced mass, 440
- Relativistic sign convention, 191, 273
- Relativistic units, 191, 194, 212, 282
- Rest mass, *see* Mass
- Ricci curvatures, 269, 277
 - for spherical symmetry, 289, 296
 - in a vacuum, 296
- Riemann curvatures, 268, 269, 289, 316
 - for spherical symmetry, 288
- Runge-Kutta method, 475
- Scalar product, 161, 195, 197, 201, 204, 217, 229, 231, 241, 336
- Schrödinger's cat, 472
- Schrödinger's equation, 341, 350, 359, 439, 462
 - Generalized, 341
 - Solving, 411
 - Time-independent, 352, 353, 411
 - with electric and magnetic potential, 342
 - with electric potential, 342
- Schwarzschild radius, 315
 - for the Sun, 318
- Schwarzschild solution, 296, 314, 319, 320, 488
 - along radial lines, 318
 - inside a star, 299
 - Kretschmann invariant for, 317

- outside a star, 296
- Single-electron atoms, 412
 - Eigenstates for, 423–425, 434, 435, 459
 - Energy for, 422, 424, 439
 - Potential energy for, 413
 - Schrödinger’s equation for, 414
 - Stationary states for, 423, 439
- Spacetime invariant, 170, 181, 195, 201, 202, 204, 210–212, 217, 242, 316
 - equations, 205
- Speed of light, 119, 167, 169, 170, 175, 242, 258, 282, 314
- Spherical coordinates, 5, 485
 - Curl, 33
 - Divergence, 33
 - Gradient, 33
 - Laplacian, 33
 - Line element (3D), 141
 - Line element (4D), 171
 - Metric tensor (3D), 142, 143
 - Metric tensor (4D), 173
 - Volume element, 35
- Spherical harmonics, 425, 430, 435
- Spherical symmetry, 285, 491
- Spin, 347, 432, 433, 495
 - Spinors, 433
- Spin-orbit coupling, 441
- Spin-spin coupling, 442
- Stationary action, 273, 274, 302
- Stationary states, 352, 359, 412, 439, 462, 463
- Stress-energy tensor, 137, 270, 276, 280–283
 - for a perfect fluid, 291
 - for a perfect static fluid, 292
- Tauons, 496, 498
- Tensors, 131
 - Calculus with, 154
 - Contraction of, 277, 289, 316
 - Dirac delta, *see* Dirac delta tensor
 - Electromagnetic field, *see* Electromagnetic field tensor
 - in equations, 150
 - Index notation, 131, 143
 - Matrix notation, 136
 - Metric, *see* Metric tensor
 - Ricci, *see* Ricci curvatures
 - Riemann, *see* Riemann curvatures
 - Stress-energy, *see* Stress-energy tensor
- Time dilation, 180–182, 196, 199, 242, 257
 - Gravitational, 302
- Time-evolution factor, 351, 412
- Torque, 16, 50, 70, 145, 148
- Twin’s paradox, 256
- Uncertainty principle, 353, 393, 462, 471
 - Canonical, 358
 - Generalized, 357
- Vector calculus, 20, 24, 33, 482
 - Del operator, *see* Del operator
 - Fundamental theorem of vector calculus, 35, 482
- Volume element, 35
 - Cartesian, 35
 - Cylindrical, 35
 - Generalized, 37, 482
 - Spherical, 35

- Voodoo math, 29, 31, 50, 84, 229, 231, 278, 344, 399, 405, 407
- Warring spaceships, 249
- Wave equations, 119
 - Electromagnetic, 119, 129
- Wave function collapse, 470, 473
- Wave functions, 121, 335
 - Eigenstates, *see* Eigenstates
 - Quantum, 339–341, 346, 347, 351, 353, 411, 458, 459, 462, 467, 468
 - Stationary states, *see* Stationary states
- Wave-particle duality, 334, 463
- Weak-field approximation, 272, 281
- Weighted average, 347
- White dwarfs, 360
- Work, 15, 46, 136